

CHARTE DE COULEURS DOW


CWS-795-995-CCS-790-791-756-786-999-1199



Table des matières


Charte de couleurs DOW – CWS.....	2
Charte de couleurs DOW - 795	5
Charte de couleurs DOW – 995	6
Charte de couleurs DOW – CCS	7
Charte de couleurs DOW – 790	8
Charte de couleurs DOW – 791	9
Charte de couleurs DOW - 756	10
Charte de couleurs DOW – 786	11
Charte de couleurs DOW – 999	12
Charte de couleurs DOW – 1199	13

Charte de couleurs DOW - CWS



**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – CWS (suite)



**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – CWS (suite)



**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW - 795



DOWSIL™ 795 Silicone Building Sealant



Colors on this sheet are close approximations of actual sealant colors and intended for guidance only. Contact your Dow distributor to request cured sealant samples for accurate matching. Users should confirm color meets their requirements.

For more information

Learn more about Dow's full range of High Performance Building solutions by visiting us online at dow.com/buildingscience.

Dow has sales offices, manufacturing sites and science and technology laboratories around the globe. Find local contact information at dow.com/contactus.



Dow Building Science website:
dow.com/buildingscience

Visit us on X
[@DowBScience](https://twitter.com/DowBScience)



Contact Dow Building Science:
dow.com/customersupport

Visit us on LinkedIn
[Dow Building Science](https://www.linkedin.com/company/dow-building-science)

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN. ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

*™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2026 The Dow Chemical Company. All rights reserved.

2000074823-710/50

Form No. 03-7104-01-0126 SoD

**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – 995



DOWSIL™ 995
Silicone Structural Sealant

Please check the availability of the different colors.
Custom colors are available upon request. Refer to product literature for application and technical information.

White / Branco / Blanco / Blanc

Gray / Cinza / Gris / Gris

Black / Preto / Negro / Noir

The colors shown above may not be available in all container sizes.
Please contact your authorized Dow distributor or Dow for more information.

The colors shown are approximate only. While every precaution is taken to ensure that color standards are maintained, they cannot be guaranteed.

™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2017 The Dow Chemical Company. All rights reserved.
30024943 Form No. 62-1128-01 D

995

**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – CCS



DOWSIL™ Contractors Concrete Sealant Color Guide



Colors on this sheet are close approximations of actual sealant colors and intended for guidance only. Contact your Dow distributor to request cured sealant samples for accurate matching. Users should confirm color meets their requirements.

For more information

Learn more about Dow's full range of High Performance Building solutions by visiting us online at dow.com/construction.

Dow has sales offices, manufacturing sites and science and technology laboratories around the globe. Find local contact information at dow.com/contactus.



Dow High Performance Building website:

dow.com/construction

Visit us on Twitter

[@DowHPBuilding](https://twitter.com/DowHPBuilding)



Contact Dow High Performance Building:

dow.com/customersupport

Visit us on LinkedIn

[Dow High Performance Building](https://www.linkedin.com/company/dow-high-performance-building)

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

*™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2021 The Dow Chemical Company. All rights reserved.

200009021

Form No. 63-7130-01-0321 SoD

**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – 790



BUILDING SCIENCE

DOWSIL™ 790 Silicone Building Sealant Color Guide



Colors on this sheet are close approximations of actual sealant colors and intended for guidance only. Contact your Dow distributor to request cured sealant samples for accurate matching. Users should confirm color meets their requirements.

For more information

Learn more about Dow's full range of High Performance Building solutions by visiting us online at dow.com/buildingscience.

Dow has sales offices, manufacturing sites and science and technology laboratories around the globe. Find local contact information at dow.com/contactus.



Dow Building Science website:
dow.com/buildingscience



Contact Dow Building Science:
dow.com/customersupport

Visit us on X
[@DowBScience](https://twitter.com/DowBScience)

Visit us on LinkedIn
[Dow Building Science](https://www.linkedin.com/company/dow-building-science)

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE, IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

*™ trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2020 The Dow Chemical Company. All rights reserved.

2000024573-710750

Form No. 63-7126-01-0126 SxD

**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – 791



BUILDING SCIENCE

DOWSIL™ 791 Weatherproofing Sealant Color Guide



Colors on this sheet are close approximations of actual sealant colors and intended for guidance only. Contact your Dow distributor to request cured sealant samples for accurate matching. Users should confirm color meets their requirements.

For more information

Learn more about Dow's full range of High Performance Building solutions by visiting us online at dow.com/buildingscience.

Dow has sales offices, manufacturing sites and science and technology laboratories around the globe. Find local contact information at dow.com/contactus.



Dow Building Science website:
dow.com/buildingscience



Contact Dow Building Science:
dow.com/customersupport

Visit us on X
[@DowBScience](https://twitter.com/DowBScience)

Visit us on LinkedIn
[Dow Building Science](https://www.linkedin.com/company/dow-building-science)

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2016 The Dow Chemical Company. All rights reserved.

2000074823-710750


Form No. 63-7127-01-0126 S210

**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – 756 SMS



DOWSIL™ 756 SMS Building Sealant Color Guide



Colors on this sheet are close approximations of actual sealant colors and intended for guidance only. Contact your Dow distributor to request cured sealant samples for accurate matching. Users should confirm color meets their requirements.

For more information

Learn more about Dow's full range of building solutions, including service and support, at dow.com/buildingscience.

Dow has sales offices, manufacturing sites and science and technology laboratories around the globe. Find local contact information at dow.com/contactus.



Dow Building Science website:
dow.com/buildingscience



Contact Dow Building Science:
dow.com/customersupport

Visit us on Twitter
[@DowBScience](https://twitter.com/DowBScience)

Visit us on LinkedIn
[Dow Building Science](https://www.linkedin.com/company/dow-building-science)

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's work practices and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN, ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

*™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2013 The Dow Chemical Company. All rights reserved.

2000019880

Form No. 63-7125-01-0123 SdD

**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – 786



DOWSIL™ 786
Silicone Building Sealant

Please check with your local Dow Distributor for availability of different colors and package sizes. Custom colors are available upon request. Refer to product literature for application and technical information.

White / Branco / Blanco / Blanc

Translucent / Translúcido / Translúcido / Translucide

Clear / Incolor / Transparente / Clair

The colors shown are approximate only. While every precaution is taken to ensure that color standards are maintained, they cannot be guaranteed.

*™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.
© 2023 The Dow Chemical Company.
All rights reserved.

24823-6246 Form No. 63-1176-01-0823 S2D

786

**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – 999-A



**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*

Charte de couleurs DOW – 1199



DOWSIL™ 1199
Silicone Glazing Sealant

Please check the availability of the different colors.
Custom colors are available upon request. Refer to product literature for application and technical information.

White / Branco / Blanco / Blanc

Gray / Cinza / Gris / Gris

Black / Preto / Negro / Noir

Bronze/Bronze/Café Obscuro/Bronze

Light Bronze / Bronze Claro / Canela / Bronze Clair

Clear / Incolor / Transparente / Clair

Blue White / Azul Claro / Bianco Glaciar / Bleu/Blanc

Beige / Beige / Crema / Beige

Sandbeige / Creme / Almendra / Beige Sable

Forest Green / Verde Floresta / Verde Obscuro / Vert Bouteille

The colors shown above may not be available in all container sizes.
Please contact your authorized Dow distributor or Dow for more information.

The colors shown are approximate only. While every precaution is taken to ensure that color standards are maintained, they cannot be guaranteed.

*TM Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2017 The Dow Chemical Company. All rights reserved.
30024943 Form No. 62-1150-01 A

1199

**Couleurs à titre indicatif seulement, elles peuvent différer des couleurs réelles.*